




Intake - Arm - Gears - Brake















































Rivet Wrecker Up Close



Intake Rollers

Super sticky rubber for super grip and spring-loaded arms. Segmented rollers grab the cubes and cones from any angle. When the rollers touch the piece, they are instantly centered and drawn in.

Twist-O-Matic roller claw

Twin Bag motors spin the intake rollers at over 400 RPM. The snowblower motor gives it a quick twist, 180 degrees in 1.5 seconds. Rollers turn slowly outward for gentle placement of pieces. Elegantly simple but loaded with quality.



Ramp-O-Matic

Deploys in 1 second and locks in place to start the ramp tipping down smoothly. Solid, compact, and effective.



Double reduction arm drive

Nothing but quality here. Elevation control is provided by a Falcon driven gearbox and chains for speed, precision, and strength. Programmed in pre-set positions are available with the touch of a button with "Motion Magic" software that accelerates to full speed, cruises at max speed, and decelerates to the stop. No more jerky motion!


Telescoping Arm


Falcon power with a HTD drive belt is fast, powerful, and robust. Telescope length is one of the Motion Magic pre-set parameters.






Track-O-Matic Camera

Locks onto either cones or cubes, aligns, automatically acquires them, and stows them safely for transport









Revision #1

Created 22 September 2026 17:57:37 by peter_stoffel

Updated 22 September 2026 17:59:12 by peter_stoffel